

## UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/827,393	04/05/2001	Koji Shimada	10873.692US01	6367
75	90 11/04/2003		EXAMINER	
Merchant & Gould P.C.			PERRY, ANTHONY T	
P.O. Box 2903 Minneapolis, MN 55402-0903			ART UNIT	PAPER NUMBER
• ,			2879	
			DATE MAILED: 11/04/2003	3

Please find below and/or attached an Office communication concerning this application or proceeding.

•			Mk.
	Application No.	Applicant(s)	
. Advisory Action	09/827,393	SHIMADA ET AL.	
	Examiner	Art Unit	
	Anthony T Perry	2879	
The MAILING DATE of this communication appe	ars on the cover she t with the c	orrespondence add	ress
THE REPLY FILED 03 October 2003 FAILS TO PLACE. Therefore, further action by the applicant is required to avignal rejection under 37 CFR 1.113 may only be either: (1) condition for allowance; (2) a timely filed Notice of Appeal Examination (RCE) in compliance with 37 CFR 1.114.	oid abandonment of this applica a timely filed amendment which	ition. A proper repl	y to a tion in
PERIOD FOR RE	PLY [check either a) or b)]		
a) The period for reply expires 3 months from the mailing date b) The period for reply expires on: (1) the mailing date of this A no event, however, will the statutory period for reply expire to ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS 706.07(f).  Extensions of time may be obtained under 37 CFR 1.136(a). The	dvisory Action, or (2) the date set forth ater than SIX MONTHS from the mailing FILED WITHIN TWO MONTHS OF THOUSE ON Which the petition under 37 CFI	g date of the final rejecti IE FINAL REJECTION. R 1.136(a) and the appr	on. See MPEP opriate extension
fee have been filed is the date for purposes of determining the period of fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the control of the contro	he shortened statutory period for reply one later than three months after the mail	originally set in the final	Office action; or
1. A Notice of Appeal was filed on Appellant's 37 CFR 1.192(a), or any extension thereof (37 CFF	Brief must be filed within the per 1.191(d)), to avoid dismissal or	eriod set forth in fithe the fither than the fitter than the f	
2. The proposed amendment(s) will not be entered be	ecause:		
(a) X they raise new issues that would require further	er consideration and/or search (s	see NOTE below);	
(b) they raise the issue of new matter (see Note b	elow);		
(c) they are not deemed to place the application ir issues for appeal; and/or	n better form for appeal by mate	rially reducing or si	mplifying the
(d)  they present additional claims without cancell	ng a corresponding number of fi	nally rejected claim	S.
NOTE: See Continuation Sheet.			
3. Applicant's reply has overcome the following reject	ion(s):		
4. Newly proposed or amended claim(s) would canceling the non-allowable claim(s).	be allowable if submitted in a se	eparate, timely filed	amendment
5. The a) affidavit, b) exhibit, or c) request for application in condition for allowance because:		dered but does NO	T place the
6. The affidavit or exhibit will NOT be considered becaraised by the Examiner in the final rejection.	ause it is not directed SOLELY to	o issues which wer	e newly
7. For purposes of Appeal, the proposed amendment explanation of how the new or amended claims we			and an
The status of the claim(s) is (or will be) as follows:			
Claim(s) allowed:			
Claim(s) objected to:			
Claim(s) rejected:			
Claim(s) withdrawn from consideration:			
8. The proposed drawing correction filed on is	a)□ approved or b)□ disapp	roved by the Exami	ner.
9. Note the attached Information Disclosure Statemer	nt(s)( PTO-1449) Paper No(s)	·	
10. Other:		1.1.0	
		ASHOK PATE	
	p	RIMARY EXAMINATION	-

## Continuation Sheet (PTOL-303)

Application No. 09/827,393

Continuation of 2. NOTE: the new limitation of at least a part of the electron shield being "formed of a material" having a smaller anhysteretic magnetic permeability than the shadow mask, the mask frame and the inner magnetic shield when an applied maretic field is 800 A/m (10 Oe) requires further consideration and search.